

Reflex Level Gauge

The prismatic effect and different brightness of the reflex glass gives a clear indication of level. ATC -Control suggests reflex level gauge for low pressure boilers and liquid gases applications. The chamber is connected to vessel with cross fittings and flanged, threaded or welded ends.

Please fill in the required information:

Product: Clasificated Area (Y/N)


Specific Weight: s.w. Viscosity: cp

Temperature: Min. °C Work °C Max °C

Pressure: Min. bar Work bar Max bar

Centerline length "C": Minimum "S" + 150mm

Minimum Visibility required "U"



Ref: RLG- MP LL 17 T J 3 6 4 01, 04 HT, DY

Type

LP	PN25
MP	PN40

Connection Configuration

LL	Side-Side
BB	Back-Back

Size

Size	"S"	"U"
11	128	91
12	153	116
13	178	141
14	203	166
15	233	196
16	263	226
17	293	256
18	333	296
19	353	313
24	406	367
25	466	427
26	526	489
27	586	549
28	666	628
29	706	668
36	789	751
37	879	841
38	999	961
39	1059	1021
47	1172	1134
48	1332	1294
49	1412	1374
57	1465	1427
58	1665	1627
59	1765	1727
68	1998	1960
69	2118	2080
79	2471	2433

Gaskets:

N	N.B.R.
T	Textile
G	Graphite/Mica

Body Material

A	Carbon Steel
J	AISI 316
X	Other, please specify

Options

Please Specify 2 digits code as located in table
HT, DY For example: MS, HT

HT	Hydrostatic test ASTM-E-1003-95 and certificate
DY	Dye penetrans test ASTM-E-1220-05 and certificate.
MS	Aluminium metric scale
UV	Uninterrupted visible length
SD	Special project requirements.

Documentation

Please Specify 2 digits code as located in table
01, 04 For example: 01, 04

01	Welding Book (WPS, PQR)
02	Material Certificate EN 10204 3.1
03	Dimensional drawings and parts in project format
04	Installation Manual
05	ATEX 94/9/EC compliance certificate and EC Mark co
06	Certificate of compliance and dimensional control
07	PED 97/23/EC compliance certificate
08	NACE certificate MR0175 / ISO 15156
09	Special project documentation requirements

Vent

1	1/2" NPT-F + PLUG
2	3/4" NPT-F + PLUG
3	VALVE 1/2"NPT-F + PLUG
4	VALVE 3/4"NPT-F + PLUG
5	VALVE 1/2" BW
6	VALVE 3/4" BW
7	Other, please specify

Drain

1	1/2" NPT-F + PLUG
2	3/4" NPT-F + PLUG
3	VALVE 1/2"NPT-F + PLUG
4	VALVE 3/4"NPT-F + PLUG
5	VALVE 1/2" BW
6	VALVE 3/4" BW
5	Other, please specify

Off-set Valves Connection

1	3/4" BW
2	3/4" SW
3	1 1/2" 150#
4	1 1/2" 300#
5	1 1/2" 600#
6	DN40 PN25
7	DN40 PN40
8	DN40 PN64
X	Other, please specify

Please specify here your X or XX selected:

